

Certificate of Product Approval

Certificate Number: 1034c

Issue: 03

R & D Sheetmetal Limited

2A Colliers Way
Clayton West
Huddersfield
West Yorkshire
HD8 9TR

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Products

Security Evo III
Security Evo IV
Security Evo V
Security Evo VI
secure partitioning systems

Standards

LPS 1175: Issue 7
Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Paul Dillon
Verifier

22 January 2020
Date of Issue

14 March 2014
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 1034c R & D Sheetmetal Limited

Issue: 03

Secure Partitioning Systems

| Product Name | Product Type ¹ | Minimum Height (m) | Maximum Height (m) | Minimum Width (m) ² | Maximum Width (m) | Minimum Length (m) ² | Maximum Length (m) | Security Rating | LPCB Ref. No. |
|------------------|--|--------------------|--------------------|--------------------------------|-------------------|---------------------------------|--------------------|-----------------|---------------|
| Security Evo III | Partition formed from wall panels supported by existing adjacent walls | 1.8 | 2.35 | 0.8 | Unlimited | N/A | N/A | 3 | 1034c/01 |
| | Partition formed from wall and ceiling panels supported by existing adjacent walls | 1.9 | 2.7 | 0.8 | Unlimited | 1.1 | Unlimited | 3 | |
| Security Evo IV | Partition formed from wall panels supported by existing adjacent walls | 1.8 | 2.35 | 0.8 | Unlimited | N/A | N/A | 4 | 1034c/02 |
| | Partition formed from wall and ceiling panels supported by existing adjacent walls | 1.9 | 2.7 | 0.8 | Unlimited | 1.1 | Unlimited | 4 | |
| Security Evo V | Partition formed from wall panels supported by existing adjacent walls | 1.8 | 2.35 | 0.8 | Unlimited | N/A | N/A | 5 | 1034c/03 |
| | Partition formed from wall and ceiling panels supported by existing adjacent walls | 1.9 | 2.7 | 0.8 | Unlimited | 1.1 | Unlimited | 5 | |
| Security Evo VI | Partition formed from wall panels supported by existing adjacent walls | 1.8 | 2.35 | 0.8 | Unlimited | N/A | N/A | 6 | 1034c/04 |
| | Partition formed from wall and ceiling panels supported by existing adjacent walls | 1.9 | 2.7 | 0.8 | Unlimited | 1.1 | Unlimited | 6 | |

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

22 January 2020
Date of Issue

14 March 2014
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1034c R & D Sheetmetal Limited

Issue: 03

System Components

| Component | Type | Minimum Height (m) | Maximum Height (m) | Minimum Width (m) | Maximum Width (m) | Minimum Depth (m) | Maximum Depth (m) |
|-------------|---|--------------------|--------------------|-------------------|-------------------|-------------------|-------------------|
| Wall panel | Wall panel | 1.80 | 2.35 | 0.25 | 1.10 | N/A | N/A |
| Roof panel | Single roof panel | 0.10 | 0.35 | 1.10 | 2.40 | 0.80 | 1.05 |
| | End roof panel | 0.10 | 0.35 | 1.10 | 2.75 | 0.25 | 1.35 |
| | Corner roof panel | 0.10 | 0.35 | 1.10 | 2.75 | 0.25 | 1.35 |
| | Side roof panel | 0.10 | 0.35 | 1.10 | 2.85 | 0.25 | 1.25 |
| | Mid roof panel | 0.05 | 0.35 | 1.10 | 2.85 | 0.25 | 1.35 |
| Corner post | 270 degree corner post for walling system | 1.80 | 2.35 | 0.10 | 0.35 | N/A | N/A |

Compatible Doorsets³

| Manufacturer | Product Name | Product Type | LPCB Ref. No. | Security Rating | Compatible Locking Systems As Listed On The Associated LPCB Certificate |
|--------------------------|------------------|-------------------------------------|------------------|-----------------|---|
| R & D Sheetmetal Limited | Security Evo III | Single leaf outward opening doorset | 1034b/04 Issue 5 | 3 | Exit by key or thumbturn only |
| | | Double leaf outward opening doorset | 1034b/04 Issue 5 | 3 | Exit by key or thumbturn only |
| | Security Evo IV | Single leaf outward opening doorset | 1034b/01 Issue 5 | 4 | Exit by key or thumbturn only |
| | | Double leaf outward opening doorset | 1034b/01 Issue 5 | 4 | Exit by key or thumbturn only |
| | Security Evo V | Single leaf outward opening doorset | 1034b/02 Issue 5 | 5 | All compatible locking systems |
| | | Double leaf outward opening doorset | 1034b/02 Issue 5 | 5 | All compatible locking systems |
| | Security Evo VI | Single leaf outward opening doorset | 1034b/03 Issue 5 | 6 | All compatible locking systems |
| | | Double leaf outward opening doorset | 1034b/03 Issue 5 | 6 | All compatible locking systems |

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

22 January 2020
Date of Issue

14 March 2014
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1034c R & D Sheetmetal Limited

Issue: 03

Notes:

1. The walling system can either be constructed as a straight walling system or incorporate 270 degree angles in the wall line. This angle is measured between the attack faces of the two adjacent panels.
2. The minimum width or length of a wall incorporating a doorset is 1 m.
3. Certification does not cover the use of locks other than those listed for use with the relevant R & D Sheetmetal Limited doorset. Utilisation of unlisted locks may affect the level of security offered by the doorset fitted to the walling system.
4. The partitioning system's resistance relies on the supporting substrate offering compatible resistance to manual attack.
5. The Security Evo partition wall system is approved when installed in accordance with the instructions detailed on document EVO-INST-01 (Issue 4) and the general arrangement drawings supplied with the product.

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Paul Dillon
Verifier

22 January 2020
Date of Issue

14 March 2014
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

