

## Certificate of Product Approval

Certificate Number: 1337j

Issue: 01

### Lochrin Bain Limited

Lochrin Works  
7 Limekilns Road  
Blairlinn Industrial Estate  
Cumbernauld  
G67 2RN

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

#### Product

**Lochrin Defender SL3**  
security fencing system

#### Standard

**LPS 1175: Issue 8**  
Requirements and testing procedures for the LPCB certification and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Hunt  
Verifier

15 May 2020  
Date of Issue

15 May 2020  
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com/terms](http://www.redbooklive.com/terms)).

To check the validity of this certificate and appendix please visit [www.redbooklive.com/check](http://www.redbooklive.com/check), scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX  
T: +44 (0)333 321 8811 E: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



## Appendix to Certificate No: 1337j

Issue: 01

Lochrin Bain Limited

### Security Fencing Systems

Product Name	Type	Nominal Heights (m)	Maximum Post Centres (m)	Gradients	Angles in Fence Line	Security Rating	LPCB Ref. No.
Lochrin Defender SL3	Palisade fencing system	2.4, 3.0	2.75	0° to 15°	90°, 100° to 175°, 180°, 185° to 260° and 270°	C5 (SR3)	1337j/01

### Approved Assembly and Installation Drawings

Document Ref.	Revision / Issue Date	Title / Contents
DEF/24/3/26/001	B 11/08/17	Lochrin Defender standard panel elevation & details
DEF/24/3/26/002	B 11/08/17	Lochrin Defender standard details
DEF/24/3/26/003	C 02/11/17	Lochrin Defender elevation of raking panel
DEF/24/3/26/004	B 02/11/17	Lochrin Defender 90° corner post details
DEF/24/3/26/005	C 02/11/17	Lochrin Defender 135° corner post details
DEF/30/3/26/001	28/08/17	Lochrin Defender 3.0 m high standard panel elevation & details
DEF/30/3/26/002	28/08/17	Lochrin Defender 3.0 m high standard details
DEF/30/3/26/003	A 02/11/17	Lochrin Defender 3.0 m high elevation of raking panel
DEF/30/3/26/004	A 02/11/17	Lochrin Defender 3.0 m high 90° corner post details
DEF/30/3/26/005	A 02/11/17	Lochrin Defender 3.0 m high 135° corner post details
DEF/BD/24/3/26/001	B 02/11/17	Lochrin Defender bolt-down panel elevation & details

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Hunt  
Verifier

15 May 2020  
Date of Issue

15 May 2020  
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com/terms](http://www.redbooklive.com/terms)).

To check the validity of this certificate and appendix please visit [www.redbooklive.com/check](http://www.redbooklive.com/check), scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX  
T: +44 (0)333 321 8811 E: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



## Appendix to Certificate No: 1337j Lochrin Bain Limited

Issue: 01

Document Ref.	Revision / Issue Date	Title / Contents
DEF/BD/24/3/26/002	A 28/08/17	Lochrin Defender bolt-down standard details
DEF/BD/24/3/26/003	B 02/11/17	Lochrin Defender elevation of bolt-down raking panel
DEF/BD/24/3/26/004	B 02/11/17	Lochrin Defender 90° bolt-down corner post details
DEF/BD/24/3/26/005	B 28/08/17	Lochrin Defender 135° bolt-down corner post details
DEF/BD/30/3/26/001	A 02/11/17	Lochrin Defender 3.0 m high bolt-down panel elevation & details
DEF/BD/30/3/26/002	28/08/17	Lochrin Defender 3.0 m high bolt-down standard details
DEF/BD/30/3/26/003	A 02/11/17	Lochrin Defender 3.0 m high elevation of bolt-down raking panel
DEF/BD/30/3/26/004	A 02/11/17	Lochrin Defender 3.0 m high 90° bolt-down corner post details
DEF/BD/30/3/26/005	28/08/17	Lochrin Defender 3.0 m high 135° bolt-down corner post details

### Notes:

1. The 'angles in fence line' define the range of angles covered by the scope. These are measured between the attack faces of two adjacent fence panels.
2. The fencing system is available in configurations to suit either surface mounting onto hard surfaces or embedding within concrete foundations placed in the ground. It is important to ensure that the local ground onto/into which the fence is installed offers compatible strength.
3. The fencing system should only be constructed and installed in accordance with the installation guide provided by Lochrin Bain Limited (DEF/24/INSTALL/DOC1 Revision B and DEF/30/INSTALL/DOC1 Revision A) and Installation Drawings, only using appropriate components supplied by Lochrin Bain Limited.

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Hunt  
Verifier

15 May 2020  
Date of Issue

15 May 2020  
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com/terms](http://www.redbooklive.com/terms)).

To check the validity of this certificate and appendix please visit [www.redbooklive.com/check](http://www.redbooklive.com/check), scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX  
T: +44 (0)333 321 8811 E: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)

LPCB is a Registered Trademark of the Building Research Establishment Ltd.


