

Certificate of Product Approval

Certificate Number: 1554a

Issue: 02

Procter Brothers Limited

11 Pantglas Industrial Estate
Bedwas
Caerphilly
CF83 8XD



is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Product

Pro-Secure Swing
security gates

Standard

LPS 1175: Issue 8
Requirements and testing procedures for the LPCB certification and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.

Paul Dillon
Verifier

19 July 2021
Date of Issue

21 October 2019
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 1554a Procter Brothers Limited

Issue: 02

Security Gates

Product Name	Type	Height (m)	Minimum Width (m)	Maximum Width (m)	Compatible Locking Systems		Security Rating	LPCB Ref. No.
					Active Leaf	Passive Leaf		
Pro-Secure Swing	Single leaf inward opening security gate	1.8, 2.0, 2.4, 3.0 and 3.6	1.2	5.0	1	N/A	A1 (SR1)	1554a/01
	Double leaf inward opening security gate	1.8, 2.0, 2.4, 3.0 and 3.6	2.0	10	1	2		

Compatible Locking Devices

Compatible Locking Device	Type	Compatible Operating Devices		Compatible Padlocks
		External face	Internal face	
1	Padlockable sliding bar	Padlock and sliding bar	Padlock and sliding bar	Squire SS50S padlock with Squire 6 pin cylinder
2	Drop bolt	N/A	Drop bolt	N/A

Notes

- The gates shall be mounted onto flat topography. The gates are available in configurations to suit either surface mounting onto hard surfaces or embedding within concrete foundations placed in the ground. Furthermore, the local ground onto/into which the gate is installed shall offer compatible strength.
- The double leaf gates are approved with leaves of equal width only.
- Certification does not cover the use of locks other than those listed in the table. Utilisation of unlisted locks may affect the level of security offered by the gate.

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

19 July 2021
Date of Issue

21 October 2019
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre