

Certificate of Product Approval

Certificate Number: 1573b

Issue: 01

Perforated and Stamped Products Limited

9 Macefield Close
Coventry
CV2 2PJ



is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Product

SS02

secure enclosure

Standard

LPS 1175: Issue 8

Requirements and testing procedures for the LPCB certification and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.

Paul Dillon
Verifier

31 March 2020
Date of Issue

31 March 2020
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 1573b Perforated and Stamped Products Limited

Issue: 01

Secure Enclosure

Product Name	Type	Minimum Height (m)	Maximum Height (m)	Minimum Width (m)	Maximum Width (m)	Minimum Depth (m)	Maximum Depth (m)	Security Rating	LPCB Ref. No.
SS02	Secure enclosure	1.2	2.6	0.65	2.6	0.5	2.2	B3 (SR2)	1573b/01

Compatible Locking Systems

Manufacturer	Model	Type	Operating Device	
			External Face	Internal Face
Mul-T Lock	MPL212	Morticed multi-point locking system	Key	Key / Knob Handle

Compatible Cylinders

Manufacturer	Model	Type
Mul-T-Lock	Integrator (Break Secure XP)	Europrofile (Key: Key)

Optional Design Feature / Accessory

Optional Design Feature	Description
Punched louvre vents	Punched louvre vents in wall panel.

Notes:

1. The SS01 secure enclosure unit is approved when installed in accordance with the instructions titled 'SS02_IMAN_REV2' dated 29/02/20.
2. The height is measured from the floor to the top of the flat roof.
3. The passive leaf doorset is secured using two tower bolts manufactured by Perforated and Stamped Products Limited.

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

31 March 2020
Date of Issue

31 March 2020
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre