

Certificate of Product Approval

Certificate Number: 1587a

Issue: 01

Betafence Belgium NV

Blokkestraat 34B
Zwevegem
Belgium 8550



is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Products

Bekasecure Securifor 2D SR
Bekasecure Securifor 358 SR
Bekasecure Securifor 4D SR
Bekasecure Securifor Super 6 SR
Securifor 2D SR
Securifor 358 SR
Securifor 4D SR
Securifor Super 6 SR
Securifor 'Double-Skinned' SR
 security fencing systems

Standard

LPS 1175: Issue 7
 Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.

Paul Dillon
 Verifier

22 January 2021
 Date of Issue

22 January 2021
 Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
 T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 1587a Betafence Belgium NV

Issue: 01

Security Fencing Systems

Product Name	Type	Nominal Height (m)	Maximum Post Centres (m)	Gradients	Angles in Fence Line ¹	Security Rating	LPCB Ref. No.
Bekasecure Securifor 2D SR	Welded mesh security fencing system	2.0, 2.4, 3.0, 3.3, 4.0 and 5.0	2.55	0° to 9.46°	135°, 180° and 225°	1	1587a/01
Bekasecure Securifor 358 SR	Welded mesh security fencing system	2.0, 2.4, 3.0, 3.3, 4.0 and 5.0	2.55	0° to 9.46°	135°, 180° and 225°	1	1587a/02
Bekasecure Securifor 4D SR	Welded mesh security fencing system	2.0, 2.4, 3.0, 3.3, 4.0 and 5.0	2.55	0° to 9.46°	135°, 180° and 225°	1	1587a/03
Bekasecure Securifor Super 6 SR	Welded mesh security fencing system	2.4, 3.0, 3.3, 4.0 and 5.0	2.55	0° to 9.46°	135°, 180° and 225°	1	1587a/04
Securifor 2D SR	Welded mesh security fencing system	2.0, 2.4, 3.0, 3.3, 4.0 and 5.0	2.55	0° to 9.46°	90°, 180°, 225° and 270°	1	1587a/05
Securifor 358 SR	Welded mesh security fencing system	1.8, 2.0, 2.4, 3.0, 3.3, 4.0 and 5.0	2.44	0° to 9.46°	90°, 180°, 225° and 270°	1	1587a/06
Securifor 4D SR	Welded mesh security fencing system	1.8, 2.0, 2.4, 3.0, 3.3, 4.0 and 5.0	2.85	0° to 9.46°	90°, 180°, 225° and 270°	1	1587a/07
Securifor Super 6 SR	Welded mesh security fencing system	2.4, 3.0, 3.3, 4.0 and 5.0	2.44	0° to 9.46°	90°, 180°, 225° and 270°	1	1587a/08
Securifor 'Double-Skinned' SR	Welded mesh security fencing system	2.4 and 3.0	2.44	0° to 9.46°	90°, 180°, 225° and 270°	2	1587a/09

Approved Assembly and Installation Drawings for Bekasecure Securifor Fencing Systems

Document Ref.	Revision	Title / Contents	Bekasecure Securifor...			
			2D SR	358 SR	4D SR	Super 6 SR
PJU00B000529	E	Bekasecure Installation Sheet	✓	✓	✓	✓

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

22 January 2021
Date of Issue

22 January 2021
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 1587a Betafence Belgium NV

Issue: 01

Approved Assembly and Installation Drawings for Securifor Fencing Systems

Document Ref.	Revision	Title / Contents	Securifor...				
			2D SR	358 SR	4D SR	Super 6 SR	'Double-Skinned' SR
PJU00B001529	H	Securifor 358 & Securifor Super 6 Installation Sheet	-	✓	-	✓	-
PJU00B003529	F	Securifor 2D SR Installation Sheet	✓	-	-	-	-
PJU00B004529	D	Securifor 358 Double Skin Installation Sheet	-	-	-	-	✓
PJU00B005529	E	Securifor 4D SR Installation Sheet	-	-	✓	-	-

Notes

1. The 'angles in fence line' define the range of angles covered by the scope. These are measured between the attack faces of two adjacent fence panels.
2. Except for the Securifor 'Double-Skinned' SR fencing system, the fencing systems are available in configurations to suit either surface mounting onto hard surfaces or embedding within concrete foundations placed in the ground. The Securifor 'Double-Skinned' SR fencing system is only available in configurations to suit embedding within concrete foundations placed within the ground. It is important to ensure that the local ground onto/into which the fence is installed offers compatible strength.
3. The fencing systems should only be constructed and installed in accordance with the documents listed in the appropriate table titled Approved Assembly and Installation Drawings, only using appropriate components supplied by Betafence Limited.

Sales Address

Betafence Limited
First Floor
Unit B
Forge House
21 Carbrook Hall Road
Sheffield
S9 2EH

Tel: +44 (0)114 256 7800
Fax: +44 (0)114 256 7893
Email: sales.sheffield@betafence.com
Web: www.betafence.co.uk

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

22 January 2021
Date of Issue

22 January 2021
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

