

Certificate of Product Approval

Certificate Number: 1588b

Issue: 01

ASSA ABLOY Security Solutions Metal Industries Factory LLC

Jebel Ali Industrial Area 1
PO Box 37765
Dubai
UAE



is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Product

ProSecure 3
hinged security doorsets

Standard

LPS 1175: Issue 8
Requirements and testing procedures for the LPCB certification and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.

Chris Hunt
Verifier

24 February 2020
Date of Issue

24 February 2020
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 1588b

Issue: 01

ASSA ABLOY Security Solutions Metal Industries Factory LLC

Hinged Security Doorsets

Product Name	Type	Minimum Structural Opening Height (m)	Maximum Structural Opening Height (m)	Minimum Structural Opening Width (m)	Maximum Structural Opening Width (m)	Security Rating	LPCB Ref. No.
ProSecure 3	Single leaf outward opening hinged doorset	1.8	2.75	0.6	1.3	C5 (SR3)	1588b/01
	Double leaf outward opening hinged doorset	1.8	2.75	1.0	2.65		

Approved Locking Configurations

Type	Compatible Locking Systems	
	Active Leaf	Passive Leaf
Single leaf outward opening hinged doorset	1 to 6	N/A
Double leaf outward opening hinged doorset	1 to 6	6

Compatible Locking Systems

Locking System	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinder
				External Face	Internal Face	
1	ABLOY	EL571	Single point morticed locking system with solenoid deadlocking and 12 V or 24 V electro-mechanical access control	Electro-mechanical access control device with key override and lever handle	Electro-mechanical access control device and lever handle	A
2	ABLOY	EL171	Single point morticed locking system	Key and lever handle	Key and lever handle	A
3	ABLOY	EL171	Single point morticed locking system	Key and lever handle	Thumbturn and lever handle	A
4	ABLOY	EL170	Single point morticed panic exit locking system	Key	Abloy PEB011 panic bar	A
5	ABLOY	EL170	Single point morticed emergency exit locking system	Key	Lever handle	A
6	ABLOY	EL570	Single point morticed emergency exit locking system with solenoid deadlocking and 12 V or 24 V electro-mechanical access control	Electro-mechanical access control device with key override	Lever handle	A
7	ASSA ABLOY	Rockwood 555	Flushbolt	-	Two flushbolts	-

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Hunt
Verifier

24 February 2020
Date of Issue

24 February 2020
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 1588b

Issue: 01

ASSA ABLOY Security Solutions Metal Industries Factory LLC

Compatible Cylinder

Cylinder Reference	Manufacturer	Model	Type
A	ABLOY	Protec 2 CY402T	Mortise

Optional Design Feature / Accessory

Option	Description
Vision panel	100 mm wide by 600 mm high vision panel

Notes

1. The approval covers double leaf doorsets with leaves of equal width.
2. Certification does not cover the use of locks or optional design features / accessories other than those listed. Utilisation of unlisted locks/options may affect the level of security afforded by the doorset.
3. The resistance of the access control locks and mechatronic cylinders to “non-mechanical” attack is not covered by this approval as they are outside the scope of LPS 1175: Issue 8. Likewise, the approval does not cover possible effects of any susceptibilities relating to the functionality and performance of any access control equipment that may be used to operate these locking systems / cylinders. This is because the scope of access control devices and system configurations that may be used with these locking systems is “infinite”. It is therefore recommended that specifiers satisfy themselves that the components used are either resistant to mechanical and other forms of tampering/abuse, or that they are suitably protected from such tampering/abuse and are resistant to any environmental conditions/interference that may cause the locking system to disengage.
4. Please refer to the manufacturer for more details on the position of the vision panel within the door leaf and the compatible locking systems with which the vision panel can be used.
5. The doorsets are approved for installation in accordance with the instructions contained on the document ‘Method of Statement of Installation’ (Doc Ref: AA-MOS-001, dated 30/01/20).

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Hunt
Verifier

24 February 2020
Date of Issue

24 February 2020
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

