

Certificate of Product Approval

Certificate Number: 1589a

Issue: 01

JOD Engineering Services Ltd

Unit 9
Roman Way Industrial Estate
Roman Way
Preston
Lancashire
PR2 5BB

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Product

JOD Access Cover
access covers

Standard

LPS 1175: Issue 8
Requirements and testing procedures for the LPCB certification and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Hunt
Verifier

4 May 2020
Date of Issue

4 May 2020
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 1589a JOD Engineering Services Ltd

Issue: 01

Access Cover

Product Name	Type	Minimum Width of Internal Opening (mm)	Maximum Width of Internal Opening (mm)	Minimum Length of Internal Opening (mm)	Maximum Length of Internal Opening (mm)	Security Rating	LPCB Ref. No.
JOD Access Cover	Single leaf horizontal upstand access cover	400	1100	400	1400	D10 (SR4)	1589a/01

Compatible Padlock

Padlock		Cylinder	
Manufacturer	Model	Manufacturer	Model
ABUS	83/50	ABUS	10526 (83 Insert – KD/KA)

Notes

1. The width is measured perpendicular to the hinged edge of the access cover.
2. The length is measured along the hinged edge of the access cover.
3. The access cover meets the requirements of Security Rating D10 (SR4) when secured with two Abus 83/50 padlocks.
4. The access cover achieves the security rating noted for the creation of apertures through which to pass the 400 mm by 225 mm elliptical test block.
5. Certification does not cover the use of padlocks or accessories other than those listed. Utilisation of unlisted padlocks on the outer lid and/or accessories may affect the level of security offered by the access cover.
6. The 'user friendliness' of employing the padlocks listed has not been assessed as this is beyond the scope of LPS 1175: Issue 8.
7. The JOD access covers are approved when installed in accordance with the instructions contained on the document entitled 'BRE061 Install and Maintain Issue 1' Rev 1 (13/03/2020).

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Hunt
Verifier

4 May 2020
Date of Issue

4 May 2020
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.


