

Certificate of Product Approval

Certificate Number: 1613d

Issue: 01

Fastline Steel Services UK Ltd

Unit G1
Strawberry Lane
Willenhall
WV13 3RS



is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Product

Imperium-1-Palisade
security fencing system

Standard

LPS 1175: Issue 8
Requirements and testing procedures for the LPCB certification and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.

Chris Hunt
Verifier

4 August 2021
Date of Issue

4 August 2021
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 1613d Fastline Steel Services UK Ltd

Issue: 01

Security Fencing System

Product Name	Type	Nominal Height (m)	Maximum Post Centres (m)	Gradients	Angles in Fence Line	Security Rating	LPCB Ref. No
Imperium-1-Palisade	Palisade fencing system	1.8 to 3.6	2.75	0° to 15.76°	90°, 180°, 225° and 270°	A1 (SR1)	1613d/01

Approved Assembly and Installation Drawings

Document Reference	Revision / Issue Date	Title / Contents
FSS-IMP-1-PAL-901	Rev D 30/04/21	Technical Drawing Pack Front Sheet
Imperium-1-PAL	Rev D 22/04/21	Imperium - 1 - Palisade Drawing Register
FSS-IMP-1-PAL-501	Rev D 30/04/21	Fastline Imperium-1-PAL
FSS-IMP-1-PAL-031	Rev B 30/04/21	FishPlate
FSS-IMP-1-PAL-503	Rev B 30/04/21	Min-Max Gradient
FSS-IMP-1-PAL-504	Rev B 30/04/21	Imperium 1 - Details Installation / Maintenance
FSS-IMP-1-PAL-505	Rev C 30/04/21	Corner Post Arrangements
FSS-IMP-1-PAL-551	Rev B 30/04/21	STD 2730mm RHS HZTL Cross Rail
FSS-IMP-1-PAL-552	Rev D 30/04/21	Baseplate Variations
FSS-IMP-1-PAL-553	Rev E 02/08/21	Post / Pale Range of Heights

Notes:

1. The 'angles in fence line' define the range of angles covered by the scope. These are measured between the attack face of two adjacent panels.
2. The fencing system is available in configurations to suit either surface mounting or embedded within concrete foundations placed in the ground. It is important to ensure that the local ground onto/into which the fence is installed offers compatible strength.
3. The fencing system should only be constructed and installed in accordance with the documents listed in the table titled Approved Assembly and Installation Drawings, using only appropriate components supplied by Fastline Steel Services UK Ltd.
4. The minimum height of the fencing system when installed on the gradients listed above is 2.0 m.

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Hunt
Verifier

4 August 2021
Date of Issue

4 August 2021
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.


