

Certificate of Product Approval

Certificate Number: 450i

Issue: 04

Technocover Limited (Incorporating TechnoRail & Strataform)

Henfaes Lane
Welshpool
Powys
SY21 7BE



is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Product

SCS/DV3/HYB
UltraSecure Security Cage System
modular security cage systems

Standard

LPS 1175: Issue 7
Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.

Paul Dillon
Verifier

26 January 2021
Date of Issue

24 December 2010
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 450i

Issue: 04

Technocover Limited (Incorporating TechnoRail & Strataform)

Modular Security Cage Systems

Product Name	Product Type	Minimum Height (m)	Maximum Height (m)	Minimum Width (m)	Maximum Width (m)	Minimum Depth (m)	Maximum Depth (m)	Security Rating	LPCB Ref. No.
SCS/DV3/HYB	Cage formed from four sides and a ceiling	1.4	4.0	1.1	Unlimited	0.75	6.0	3	450i/03
Ultrasecure Security Cage System	Cage formed from four sides and a ceiling	0.5 ¹	6.0	0.76 ²	Unlimited	0.76 ²	6.0	3	450i/01

System Components for the SCS/DV3/HYB Security Cage System

Component	Type	Minimum Height (m)	Maximum Height (m)	Minimum Width (m)	Maximum Width (m)	Minimum Length (m)	Maximum Length (m)
Wall panels	Standard mesh wall panel	1.386	3.986	0.25	1.2	N/A	N/A
	Door header mesh panel	0.15	3.001	0.485	2.985	N/A	N/A
	Corner mesh panel	1.386	3.986	0.25	0.25	N/A	N/A
Roof Panels	End mesh roof panel	N/A	N/A	0.60	1.2	0.50	6.06
	Intermediate mesh roof panel	N/A	N/A	0.31	1.2	0.50	6.06
Doorsets	Single leaf outward opening mesh panel padlockable doorset	Refer to Ultrasecure SCD1/DV3 mesh panel security doorset (LPCB Ref. No. 450j/01) for scope of approval.					
	Double leaf outward opening mesh panel padlockable doorset	Refer to Ultrasecure SCD1/DV3 mesh panel security doorset (LPCB Ref. No. 450j/02) for scope of approval.					

System Components for the Ultrasecure Security Cage System

Component	Type	Minimum Height (m)	Maximum Height (m)	Minimum Width (m)	Maximum Width (m)	Minimum Length (m)	Maximum Length (m)
Wall panels	Mesh wall panel	0.50	6.0	0.25	1.0	N/A	N/A
Corner post	Corner post for cage system	0.50	6.0	0.13	0.13	N/A	N/A
Roof Panels	Mesh roof panel	N/A	N/A	0.25	1.0	0.50	6.0
Support post	Support post for cage system	0.46	5.91	0.165	0.165	N/A	N/A
Doorsets	Single leaf outward opening mesh panel padlockable doorset	Refer to Ultrasecure SCD1/DV3 mesh panel security doorset (LPCB Ref. No. 450j/01) for scope of approval.					
	Double leaf outward opening mesh panel padlockable doorset	Refer to Ultrasecure SCD2/DV3 mesh panel security doorset (LPCB Ref. No. 450j/02) for scope of approval.					

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

26 January 2021
Date of Issue

24 December 2010
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 450i Technocover Limited (Incorporating TechnoRail & Strataform)

Issue: 04

Accessories

Accessory / Option	Type	SCS/DV3/HYB Security Cage System	Ultrasecure Security Cage System
Cat flap	Service penetration with lockable flap.	✓	-
External base fixing	External base fixing points for external mounting of the enclosure onto a supporting substrate.	✓	-
Roof hatch	Sliding roof hatch of dimensions ranging between 0.32 m by 0.225 m and 1.05 m by 0.85 m.	✓	-

Notes:

1. The minimum height of enclosures incorporating a doorset is 1.08 m.
2. The minimum length of a side wall incorporating doorsets is 0.63 m.
3. The cage's resistance relies on the supporting substrate offering compatible resistance to manual attack.
4. The cat flaps do not undermine the security rating attributed to the cages providing the cat flap remains secured in the closed position. The aperture protected by the flap may be exploitable when the flap was not secured in the closed position. The security rating applied to the enclosures and cabinets will be invalid when the cat flap is left open or unsecured.
5. The Ultrasecure security cage system is approved when installed in accordance with the instructions detailed on document SCS-DV-3-FIT-01 (Ref.B).
6. The SCS/DV3/HYB security cage system is approved when installed in accordance with the instructions detailed on documents SCS/DV3/HYB/FIT-01 (Rev B) and SCS/DV3/HYB/PADLOCK (Rev B).

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Paul Dillon
Verifier

26 January 2021
Date of Issue

24 December 2010
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.


